

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(428/800 or 428/817 or 428/818 or 428/820 or 428/820.2 or 428/820.5 or 428/820.6 or 428/822.6 or 428/823.2 or 428/824.4 or 428/827 or 428/829 or 428/846.4 or 428/846.7 or 428/847.6 or 428/848.2) and curie and laser	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/19 13:08
L2	399	(428/694ML or 428/694SC or 428/694MM or 428/694TS) and curie and laser	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/19 13:11
L3	185	(369/272 or 428/65.3 or 369/13.02 or 369/13.05 or 369/13.43 or 369/51 or 369/13.53) and curie and laser	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/19 13:16
S1	15	"1089262"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/05 14:52
S2	9	"1113425"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:42
S3	2	"6312785"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:33
S4	13	"396293"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:34
S5	1	"11371435"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:35
S6	10	"385198"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:36
S7	16	"335030"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:37
S8	20	"124137"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:38

S9	5	"093981"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:38
S10	16	"021995"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:39
S11	10	"355802"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:40
S12	19	"283366"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 18:40
S13	2	"20040234796"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 20:11
S14	1337	428/694\$ and polyimide and ("Co" or cobalt)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/05 14:59
S15	778	S14 and (thick or thickness) and (roughness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 14:32
S16	76	S15 and coercivity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/21 20:14
S17	20	S16 and (polyimide with aromatic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 15:20
S18	1338	428/694\$ and polyimide and ("Co" or cobalt)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/24 19:04
S19	41	S18 and (thick or thickness) and (roughness) and maghemite	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/24 19:07
S20	779	S18 and (thick or thickness) and (roughness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 15:20

S21	77	S20 and coercivity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 15:20
S22	1338	428/694\$ and polyimide and ("Co" or cobalt)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 19:41
S23	779	S22 and (thick or thickness) and (roughness)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 19:41
S24	77	S23 and coercivity	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 19:42
S25	1	S24 and (polyimide with aromatic) and maghemite	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 19:41
S26	5	"6579592"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 20:50
S27	3	"6582815"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/22 20:50
S28	3	"6582815"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/24 14:02
S29	5	"6579592"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/24 14:03
S30	1771	(428/694r or 428/611 or 428/687 or 428/65.3 or 428/328 or 428/329 or 428/336 or 428/694t or 428/694tp or 428/694tr or 428/694bg or 428/694bn or 428/694st or 428/694sg or 427/131) and polyimide and ("Co" or cobalt)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/24 19:06
S31	31	S30 and (thick or thickness) and (roughness) and maghemite	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/24 19:07
S32	31	S30 and (thick or thickness) and (roughness) and maghemite	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/24 19:07

S33	15	"501"/\$ and ("K+" or potasium) and ("Na+" and sodium)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/28 14:01
S34	1	"20050042409"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/28 19:58
S35	2	"20030232219"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/28 20:55
S36	22	"5725931"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/28 20:55
S37	2	"20020068193"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/05 14:53
S38	2356	("428"/\$ or "369"/\$ or "360"/\$) and "magnetic recording" and oxygen and resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 16:37
S39	1336	S38 and (resistance same surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/05 15:03
S40	838	S39 and (resistance with surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/05 15:03
S41	251	S40 and ((resistance with surface) same ("50" or "3,000" or ".1" or "10"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/05 15:12
S42	0	S40 and ((resistance with surface) same "M.OMEGA.")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/05 15:13
S43	4	("6579592" or "6582815") and oxygen	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/05 15:14
S44	2	"20020186506"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 17:30

S45	2	"20040136107"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 17:32
S46	0	S45 and unsponaneous	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 17:33
S47	0	"2040105348" and unsponaneous	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 17:33
S48	2	"20040105348" and unsponaneous	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/16 15:31
S49	6	pct and "05579"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 18:01
S50	11	"5319507"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 18:04
S51	1	"60127545"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 18:04
S52	0	"60-127545"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 18:04
S53	0	58-234156	USPAT	OR	OFF	2005/08/15 18:32
S54	15	"234156"	USPAT	OR	OFF	2005/08/15 18:33
S55	6	"049921"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 18:34
S56	0	"01-049921"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 18:35
S57	2	2000-022312	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 18:36
S58	59	maxell and takeuchi and fumiyoishi	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 18:36

S59	4	S58 and curie	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 19:57
S60	0	wo0131645	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 19:58
S61	125	"31645"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 19:59
S62	0	wo0131645	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 19:58
S63	0	wo01-31645	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 19:58
S64	0	01-31645	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 19:58
S65	2	S61 and "magnetic recording"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/15 20:28
S66	2	"20040105348" and "absolute value"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 20:50
S67	126	"magnetic recording" and ("absolute value" with magnetization)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/16 20:07
S68	2	"6893746"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/16 22:34
S69	2	"20020018312"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/16 22:34
S70	2	"20020054442"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/17 11:24
S71	81	("360"/\$ or "369"/\$ or "428"/\$) and "master information carrier" and "magnetic recording"	US-PGPUB; USPAT	OR	OFF	2005/08/17 11:25

S72	41	S71 and "in-plane"	US-PGPUB; USPAT	OR	OFF	2005/08/17 14:52
S73	1	"6926886"	US-PGPUB; USPAT	OR	OFF	2005/08/17 14:52
S74	2	"20030223280"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 12:58
S75	434	("360"/\$ or "369"/\$ or "428"/\$) and "magnetic recording" and (dielectric with ("Al" or Aluminum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 15:19
S76	308	S75 and laser	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 15:19
S77	33	S76 and grain	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 15:19
S78	2	"6671233"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 15:08
S79	2	"6678219"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 22:43
S80	781	("360"/\$ or "369"/\$ or "428"/\$) and "magnetic recording" and (reflect\$ with ("Al" or Aluminum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 16:24
S81	635	S80 and laser	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 15:19
S82	211	S81 and (substrate same (reflect\$ with Aluminum))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 16:21
S83	502	("360"/\$ or "369"/\$ or "428"/\$) and "magnetic recording" and Aluminum and grain and laser	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 16:27
S84	415	S83 and grain	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 16:28

S85	261	("428"/\$ or "369"/\$ or "360"/\$) and "magnetic recording" and (roughness same metal same substrate)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 16:39
S86	79	S85 and laser	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 16:40
S87	57	S86 and aluminum	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 16:41
S88	0	"20040105348" and alumiunim	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 20:50
S89	1	"20040105348" and "Al"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/19 12:59
S90	2	"6893746"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/18 21:20
S91	5	"6367924"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/18 22:43